EEEEEEEEEEEEE	XXX XXX		ннн ннн	NNN NNN	GGGGGGGGGG
EEEEEEEEEEEEE	XXX XXX	000000000000	ннн ннн	NNN NNN	GGGGGGGGG
EEEEEEEEEEEEE	XXX XXX		нин нин	NNN NNN	GGGGGGGGGG
EEE	XXX XXX		ний ини	NNN NNN	GGG
					000
EEE	XXX XXX		нин нин	NNN NNN	GGG
ttt	XXX XXX		ннн ннн	NNN NNN	GGG
EEE	XXX XXX	LCC	нин нин	NNNNN NNN	GGG
EEE EEE EEE	XXX XXX	CCC	нин нин	NNNN NNN	GGG
ĒĒĒ	XXX XXX	ČČČ	нин нин	NNNNN NNN	ĞĞĞ
ĔĔĔEEEEEEEE	XXX	ččč	нинининининий	NNN NNN NNN	ĞĞĞ
EEEEEEEEEE	ŶŶŶ	555	нининининини	NNN NNN NNN	GGG
					000
EEEEreeeee	XXX	CCC	нинининининин	NNN NNN NNN	GGG
ttt	XXX XXX	ÇÇÇ	ннн ннн	NNN NNNNN	GGG GGGGGGG
EEE EEE	XXX XXX	CCC	ннн ннн	NNN NNNNNN	GGG GGGGGGG
EEE	XXX XXX	CCC	ннн ннн	NNN NNNNN	GGG GGGGGGG
ĒĒĒ EEE	XXX XXX		нин нин	NNN NNN	GGG GGG
FFF	XXX XXX		ний ний	NNN NNN	ĞĞĞ ĞĞĞ
ĔĔĔ	XXX XXX				
EEEEEEEEEEEEE	XXX XXX		нин нин	NNN NNN	GGGGGGGG
EEEEEEEEEEEEE	XXX XXX		ннн ннн	NNN NNN	GGGGGGGGG G
EEEEEEEEEEEEE	XXX XXX	222222222	ннн ннн	NNN NNN	GGGGGGGG

EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE	XX	00000000 00000000 00000000 00000000000		DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		B888888 B888888 BB	
LL LL LL LL LL LL LL LL LL LL LL LL LLLL		\$					

```
MODULE exch$cld_table
```

Version:

'004-000'

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

FACILITY: EXCHANGE - Foreign volume interchange facility

ABSTRACT: Internal DCL command definition tables

ENVIRONMENT: VAX/VMS User mode

AUTHOR: CW Hobbs CREATION DATE: 17-July-1982

MODIFIED BY:

111111111112222222222333333333334444444

V03-003 CWH3003 CW Hobbs 12-Apr-1984

Add dummy P2 for COPY /BOOT

V03-002 CWH3002 CW Hobbs 10-Sep-1983 Add missing 'PLACEMENT=LOCAL' to /VOLUME for MOUNT

E) V(

```
! Types are non-negatable by default
     DEFINE TYPE data_check_type
            KEYWORD read
KEYWORD write
                                          NEGATABLE, DEFAULT
     DEFINE TYPE density_type
            KEYWORD 800
KEYWORD 1600
KEYWORD 6250
     DEFINE 'YPE carriage_control_type
            KEYWORD carriage_return DEFAULT KEYWORD fortran
            KEYJORD none
     DEFINE TYPE record_format_type
            KEYWORD binary
KEYWORD fixed
                                          VALUE (DEFAULT=512, TYPE=$NUMBER)
            KEYWORD pad
KEYWORD stream
                                          VALUE (DEFAULT=0)
            KEYWORD variable
     !\ DEFINE TYPE retain_type
!\
!\
KEYWORD retain
     DEFINE TYPE transfer_mode_type
            KEYWORD automatic
KEYWORD block
                                          DEFAULT
            KEYWORD record
     DEFINE TYPE volume_format_type
            KEYWORD dos11
KEYWORD files11
            KEYWORD rt11
```

```
DEFINE SYNTAX boot_copy
100
101
            ROUTINE exch$rtnam_copy_boot
102
                             LABEL=input
            PARAMETER P1
104
                             PROMPT='Monitor file'
105
                             VALUE (REQUIRED, TYPE=$INFILE)
106
107
            PARAMETE? 2
                             LABEL=output
                                                               ! Dummy, only here so that normal RT-11 syntax is allowed
108
                             VALUE (TYPE=$OUTFILE)
109
110
            QUALIFIER boot
                                     NONNEGATABLE
111
                                     VALUE
112
            QUALIFIER Log
            QUALIFIER volume_format NONNEGATABLE
114
                                     VALUE (REQUIRED, TYPE=volume_format_type)
115
                                     PLACEMENT=LOCAL
116
118
     DEFINE VERB CODY
119
ROUTINE exch$copy_copy
                             LABEL=input
PROMPT="Input_file(s)"
            PARAMETER P1
                             VALUE (REQUIRED, LIST, TYPE=$INFILE)
            PARAMETER P2
                             LABEL=output
                             PROMPT="Output file"
                             VALUE (REQUIRED, TYPE=SOUTFILE)
                                     NONNEGATABLE
           QUALIFIER allocation
                                     VALUE (REQUIRED, TYPE=$NUMBER)
                                     PLACEMENT=POSITIONAL
           QUALIFIER best_try_contiguous
                                      ÑONNEGATABLE
                                     PLACEMENT=POSITIONAL
           QUALIFIER boot
                                     NONNEGATABLE
                                     SYNTAX=boot_copy
           QUALIFIER carriage_control
                                     DEFAULT
                                     VALUE (TYPE=carriage_control_type)
141
142
143
                                     PLACEMENT=LOCAL
            QUALIFIER confirm
     !\
            QUALIFIER contiguous
                                     PLACEMENT=POSITIONAL
144
            QUALIFIER deleté
                                     DEFAULT
            QUALIFIER extension
                                     NONNE GATABLE
146
                                     VALUE (REQUIRED, TYPE=$NUMBER)
147
                                     PLACEMENT=POSITIONAL
148
            QUALIFIER fdl
                                     NONNEGATABLE
149
     11
                                     VALUE (REQUIRED, TYPE=$INFILE)
PLACEMENT=POSITIONAL
150
151
            QUALIFIER log
152
            QUALIFIER protect
            QUALIFIER record_format NONNEGATABLE
154
                                     VALUE (REQUIRED, LIST, TYPE=record_format_type)
```

```
15567
1557
16163
1667
1671
1773
1778
1778
1789
                                       PLACEMENT=LOCAL
            QUALIFIER replace
            QUALIFIER rewind
                                       DEFAULT
                                       PLACEMENT=POSITIONAL
            QUALIFIER start_block
                                       NONNEGATABLE
                                       VALUE (REQUIRED, TYPE=$NUMBER)
            QUALIFIER system
            QUALIFIER transfer_mode NONNEGATABLE
                                       VALUE (REQUIRED, TYPE=transfer_mode_type)
PLACEMENT=LOCAL
                                       PLACEMENT=POSITIONAL
            QUALIFIER truncate
            QUALIFIER volume format NONNEGATABLE
                                        VALUE (REQUIRED, TYPE=volume_format_type)
                                       PLACEMENT = LOCAL
     DEFINE VERB delete
            ROUTINE exch$rtnam_delete
            PARAMETER P1
                              LABEL=input
PROMPT="Filename(s)"
                              VALUE (REQUIRED, LIST, TYPE=$INFILE)
      !\
            QUALIFIER confirm
180
181
182
183
184
185
186
187
            QUALIFIER LOG
            QUALIFIER system
            QUALIFIER volume_format NONNEGATABLE
                                       VALUE (REQUIRED, TYPE=volume_format_type)
                                       PLACEMENT=LOCAL
     DEFINE VERB directory
ROUTINE exch$dire_directory
            PARAMETER P1
                              LABEL=filename
                              VALUE (LIST, TYPE=$INFILE, DELAULT=SYS$DISK)
            QUALIFIER all
            QUALIFIER badblocks
      !\
                                       NONNEGATABLE
            QUALIFIER blocks
            QUALIFIER brief
            QUALIFIER columns
                                       DEFAULT
                                       NONNEGATABLE
                                       VALUE (DEFAULT=0, TYPE=$NUMBER)
            QUALIFIER date
                                       DEFAULT
            QUALIFIER deleted
            QUALIFIER free
            QUALIFIER full
            QUALIFIER octal
QUALIFIER output
                                       VALUE (REQUIRED, TYPE=$OUTFILE)
            QUALIFIER owner
            QUALIFIER printer
            QUALIFIER size
                                       DEFAULT
            QUALIFIER summary
```

E) V(

```
QUALIFIER volume_format NONNEGATABLE VALUE (REQUIRED, TYPE=volume_format_type)
PLACEMENT=LOCAL
     DEFINE VERB dismount
            ROUTINE exch$moun_dismount
            PARAMETER P1
                             LABEL=devicename
                             PROMPT='Device'
                             VALUE (REQUIRED, TYPE=$INFILE)
            QUALIFIER message
     DEFINE VERB exit
            ROUTINE exch$main_exit
     DEFINE VERB help
            ROUTINE exch$main_help
            PARAMETER P1
                             LABEL=topic, VALUE (TYPE=$REST_OF_LINE)
     DEFINE SYNTAX create_init
            PARAMETER P1
                             LABEL=devicename
                             PROMPT="Filename"
                             VALUE (REQUIRED, TYPE=$INFILE)
                             LABEL=volumelabel
            PARAMETER P2
                             VALUE (DEFAULT="VMS Exchange")
     DEFINE VERB initialize
            ROUTINE exch$init_initialize
            PARAMETER P1
                             LABEL=devicename
                             PROMPT="Device"
                             VALUE (REQUIRED, TYPE=$INFILE)
                             LABEL=volumelabel VALUE (DEFAULT="VMS Exchange")
            PARAMETER P2
                                      NONNEGATABLE
            QUALIFIER allocation
                                      VALUE (REQUIRED, TYPE=$NUMBER)
VALUE (TYPE=retain_type)
            QUALIFIER badblocks
QUALIFIER create
     !\
                                      NONNEGATABLE
                                      SYNTAX=create_init
                                      NONNEGATABLE
            QUALIFIER density
                                       VALUE (REQUIRED, TYPE=density_type)
```

! only 1 parm, no placement

```
QUALIFIER extra_words
QUALIFIER message
QUALIFIER replace
VALUE (REQUIRED, TYPE=$NUMBER)
     !\
                                       VALUE (TYPE=retain_type)
NONNEGATABLE
            QUALIFIER segments
            VALUE (REQUIRED, TYPE=$NUMBER)
QUALIFIER VOLUME_format NONNEGATABLE
                                       VALUE (REQUIRED, TYPE=volume_format_type)
                                       PLACEMENT=LOCAL
     DEFINE SYNTAX virtual_mount
            PARAMETER P1
                              LABEL=devicename
                              PROMPT="Virtual device"
                              VALUE (REQUIRED, TYPE=$INFILE)
            PARAMETER P2
                              LABEL=filename
                              PROMPT="Filename"
                              VALUE (REQUIRED, TYPE=$INFILE)
     DEFINE VERB mount
            ROUTINE exch$moun_mount
            PARAMETER P1
                              LABEL=devicename
                              PROMPT='Device'
                              VALUE (REQUIRED, TYPE=$INFILE)
            QUALIFIER data_check
                                       VALUE (LIST, TYPE=data_check_type)
            QUALIFIER foreign
                                       DEFAULT
            QUALIFIER message
            QUALIFIER virtual
                                       NONNEGATABLE
                                       SYNTAX=virtual_mount
            QUALIFIER volume_format NONNEGATABLE
                                       VALUE (REQUIRED, TYPE=volume_format_type)
PLACEMENT=LOCAL
            QUALIFIER write
                                       DEFAULT
     DEFINE VERB rename
            ROUTINE exch$rtnam_rename
                             LABEL=input
PROMPT='From'
            PARAMETER P1
                              VALUE (REQUIRED, TYPE=$INFILE)
            PARAMETER P2
                              LABEL=output
                              PROMPT="To"
                              VALUE (REQUIRED, TYPE=$OUTFILE)
     !\
            QUALIFIER confirm
            QUALIFIER log
```

QUALIFIER protect QUALIFIER system

```
QUALIFIER volume_format NONNEGATABLE
                                    VALUE (REQUIRED, TYPE=volume_format_type)
                                    PLACEMENT = LOCAL
     DEFINE VERB show
           ROUTINE exch$show_show
     !\DEFINE VERB squeeze
     !\
     11
           ROUTINE exch$sque_squeeze
           PARAMETER P1
                            LABEL=device_name
                            PROMPT="Device"
                            VALUE (REQUIRED, TYPE=SOUTFILE)
     !\
!\
           PARAMETER P2
                            LABEL=output_device
                            PROMPT='Output device'
     · / / / / /
                            VALUE (TYPE=$OUTFILE)
           QUALIFIER volume_format NONNEGATABLE
                                    VALUE (REQUIRED, TYPE=volume_format_type)
     !\
                                    PLACEMENT=LOCAL
    DEFINE VERB type
           ROUTINE exch$copy_type
                            LABEL=input
PROMPT='Filename(s)'
           PARAMETER P1
                            VALUE (REQUIRED, LIST, TYPE=$INFILE)
     !\
           QUALIFIER confirm
           QUALIFIER Log
           QUALIFIER record format NONNEGATABLE
                                    VALUE (REQUIRED, LIST, TYPE=record_format_type)
                                    PLACEMENT=LOCAL
           QUALIFIER rewind
                                    DEFAULT
                                     PLACEMENT=POSITIONAL
           QUALIFIER volume_format NONNEGATABLE
                                    VALUE (REQUIRED, TYPE=volume_format_type)
                                    PLACEMENT=LOCAL
```

* SET COMMAND/OBJECT=OBJ*:EXCCLDTBL/LISTING=LIS*:EXCCLDTBL MSRC*:EXCCLDTBL

0159 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

